



Item # _____

We put space to work.

Job _____



Wire Shelving Accessories


Shelf Dividers - For Super Erecta and Super Adjustable Shelves

- Keep shelf contents orderly with these rigid, pressure fit dividers.


8" (203mm) Tall Dividers

Model No. Chrome	Model No. Metroseal Green (K3) with Microban®	Model No. Metroseal Gray (K4) with Microban	Model No. Stainless	Shelf Width (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)	
DD14C	DD14K3	DD14K4	DD14S	14	355	1.8	0.8
DD18C	DD18K3	DD18K4	DD18S	18	457	2.25	1.0
DD21C	DD21K3	DD21K4	DD21S	21	530	2.5	1.1
DD24C	DD24K3	DD24K4	DD24S	24	610	2.75	1.3
DD30C	DD30K3	DD30K4	DD30S	30	760	3.25	1.5
DD36C	-	-	DD36S	36	914	3.75	1.7

Dividers cannot be stacked.
For OTR applications, additional clamping may be required to keep dividers in place.
Consult Metro engineering.



Shelf Divider for Super Erecta Shelves



21" (533mm) Tall Dividers

Model No. Chrome	Shelf Width (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)	
DD24C-21H	24	610	5.0	2.3


Dividers cannot be stacked.
For OTR applications, additional clamping may be required to keep dividers in place. Consult Metro engineering.

Horizontal Dividers - For use with 24" deep dividers

- Requires two dividers. Mounts across two dividers to form a light duty storage tier. 25 lbs. (11.3kg) load capacity evenly distributed.
- When used with the 21" (533mm) tall divider — can be positioned at the midpoint or the top of the dividers.
- When used with the 8" (203mm) tall divider — can be positioned at the top of the dividers.

Model No. Chrome	Shelf Width (in.) (mm)		Nominal Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)	
DDH24C-12L	24	610	12	305	2.5	1.1
DDH24C-18L	24	610	18	457	3	1.4

Dividers cannot be stacked. Not intended for heavy duty mobile applications.



Two 21" tall dividers with one horizontal divider.
8.625" (219mm) space between base and bottom of top shelf.



InterMetro Industries Corporation
North Washington Street, Wilkes-Barre, PA 18705
Product Information. U.S. and Canada: 1.800.992.1776
Outside U.S. and Canada: www.metro.com/contactus

L02-007a
Printed in U.S.A. 4/22

Information and specifications are subject to change without notice. Please confirm at time of order.

Copyright © 2022 InterMetro Industries Corp.




Wire Shelving Accessories

1" (25mm) Bin Rail Dividers

- Universal mounting clips attach to wire shelves and MetroMax open grid shelves.
- Bin locator: Designed to create slots for bins and other packages as part of lean Kanban systems.
- Kit consists of (8) chrome plated divider rails and (16) polymer mounting clips.
- Bins: See spec sheet 10.08

Model No.	Fits Shelf Depth		Approx. Pkd. Wt.	
	(in)	(mm)	(lbs.)	(kg)
BINRL18	18, 21	457, 533	6.3	2.9
BINRL24	24	610	7.8	3.5



Shelf Ledges — Side and Back


For stationary or mobile installations, ledges prevent items from protruding or falling from shelves.

1" (25mm) High Ledges

Cat. No. Chrome	Cat. No. Stainless	Actual Length		Approx. Pkd. Wt.	
		(in.)	(mm)	(lbs.)	(kg)
L14N-1C	L14N-1S	9.875	250	0.58	0.25
L18N-1C	L18N-1S	13.875	352	0.75	0.33
L21N-1C	L21N-1S	16.875	428	0.75	0.33
L24N-1C	L24N-1S	19.875	505	1.0	0.45
L30N-1C	L30N-1S	26.1875	665	2.0	0.9
L36N-1C	L36N-1S	32.5	826	2.5	1.13
L42N-1C	L42N-1S	38.125	968	2.75	1.25
L48N-1C	L48N-1S	44.3125	1126	3.5	1.58
L54N-1C	L54N-1S	50.3125	1278	4.4	1.65
L60N-1C	L60N-1S	56.1875	1427	3.75	1.68
L72N-1C	L72N-1S	68	1727	4.0	1.81

1" (25mm) ledges are not stackable.

Ledges may also be used on the interior of a shelf (lengthwise) by attaching directly above a snake truss. Interior snake trusses are found on shelf widths of 21" (530mm) and larger.



1" (25mm) Ledge


4" (100mm) High Stackable Ledges

Ledges may be stacked to form an 8" (203mm) or higher barrier.

Cat. No. Chrome	Cat. No. Metroseal Green (K3) with Microban®	Cat. No. Metroseal Gray (K4) with Microban	Cat. No. Stainless	Shelf Width		Approx. Pkd. Wt.	
				(in.)	(mm)	(lbs.)	(kg)
L14N-4C	L14N-4K3	L14N-4K4	L14N-4S	14	355	0.8	0.3
L18N-4C	L18N-4K3	L18N-4K4	L18N-4S	18	457	1.5	0.6
L21N-4C	L21N-4K3	L21N-4K4	L21N-4S	21	530	1.7	0.7
L24N-4C	L24N-4K3	L24N-4K4	L24N-4S	24	610	2.0	0.9
L30N-4C	L30N-4K3	L30N-4K4	L30N-4S	30	760	2.2	1.0
L36N-4C	L36N-4K3	L36N-4K4	L36N-4S	36	914	2.7	1.2
L42N-4C	L42N-4K3	L42N-4K4	L42N-4S	42	1066	3.2	1.4
L48N-4C	L48N-4K3	L48N-4K4	L48N-4S	48	1219	3.7	1.6
L54N-4C	L54N-4K3	L54N-4K4	L54N-4S	54	1370	3.8	1.7
L60N-4C	L60N-4K3	L60N-4K4	L60N-4S	60	1524	4.0	1.8
L72N-4C	L72N-4K3	L72N-4K4	L72N-4S	72	1828	5.0	2.2

Note: Actual length is approximately 1" (25mm) shorter than nominal shelf length/width.

Ledges may also be used on the interior of a shelf (lengthwise) by attaching directly above a snake truss. Interior snake trusses are found on shelf widths of 21" (530mm) and larger.



4" (102mm) Ledge

Wire Shelving Accessories

Snap-On Dividers for Drop Mat Shelves

Organize your shelves with these 8" (203mm) high, easy to snap-in-place dividers.

Model No.	Fits Shelf Width		Approx. Pkd. Wt.	
	(in.)	(mm)	(lbs.)	(kg)
HD18C	18	457	2.5	1.1
HD24C	24	614	3.5	1.6



Snap-On Divider

Super Erecta Slide System (for tote boxes)

Using Super Erecta or Super Adjustable Super Erecta wire units, tote boxes, and these innovative slides, you have the flexibility to create a custom configuration that can be positioned quickly on new or existing units without the use of tools.


Model No.	Outside Slide Dimensions		For Shelf Width		Adaptable Boxes	Approx. Pkd. Wt.	
	Height/Width/Length (in.)	(mm)	(in.)	(mm)		(lbs.)	(kg)
SS2NC	10.25x20.375x21.625	256x510x537	24	610	TB/MTB93030W TB/MTB93060W TB/MTB93080W	4.75	2.1
SS3NC	10.25x14x17.125	256x355x430	21	530	TB/MTB92035W TB/MTB92060W TB/MTB92080W	3.5	1.5
SS4NC	10.25x25.125x17.125	256x630x430	21	530	TB/MTB93030W* TB/MTB93060W* TB/MTB93080W*	4	1.8

*Fits SS4NC with box turned sideways.

Note:

SS2NC may also be used on 30" (760mm) and 36" (910mm) width shelves.
Load ratings: 25 lbs. (11.3kg) max per slide level, not to exceed 50 lbs. (22.6 kg) per slide system.

These slides do NOT work with 12"x20" (305x508mm) steam table pans or 18"x26" (457x660mm) bun pans.



Super Erecta Slide System in place on shelf (Tote box sold separately)

Adjustable Undershelf Slides

These slides can be spaced to fit any width container or tote box.

Model No. (pair)	For Shelf Width		Approx. Pkd. Wt.	
	(in.)	(mm)	(lbs.)	(kg)
US18NA	18	457	1	0.4
US21NA	21	530	1	0.4
US24NA	24	610	1	0.4

*Not adaptable to 24" (610mm) long shelf.



Adjustable Undershelf Slide

Tray Slides

Free up shelves for more efficient use of space. Adaptable slides work with TB93000 and MTB93000 series tote boxes, 12"x20" (305x508mm) steam table pans, or 18"x26" (457x660mm) bun pans. Available in chrome and Metroseal finishes. 22.75" H (578mm).

Cat. No.	Metroseal Green (K3) with Microban®	Cat. No.		Overall Depth (in.) (mm)	Slide Profile (in.) (mm)	On Center Slide Spacing (in.) (mm)	Fits Shelf Width (in.) (mm)	Approx. Weight/Pair (lbs.) (kg)
		Width (in.) (mm)	Height (in.) (mm)					
15SNC	15SNK3	14.625	371	2.25 56	1.5 37	1.5 37	18 457	9.5 4.3
20SNC	20SNK3	20	508	2.25 56	1.5 37	1.5 37	24 610	11 5.0

Load rating: 25 lbs. (11.3kg) max per slide level, not to exceed 50 lbs. (22.6kg) per slide system.
20SNC / K3 will fit 30" (760mm) and 36" (910mm) shelves.

Shelf Lengths	Tray Slides per Level
24" (610mm) through 42" (1066mm)	1
48" (1219mm)	1 or 2
60" (1524mm)	2
72" (1829mm)	2 or 3



Tray Slides



Wire Shelving Accessories

Enclosure Panels

An efficient way to enclose space for stationary or mobile applications.

- Can be used with Super Erecta® and Super Adjustable wire shelving, and Super Erecta solid shelving.
- Appropriate mounting hardware supplied with each panel.

Hardware

- Chrome panels: plated “S” Hooks & clamp assemblies (part no. 9970EPZ)
- Metroseal Gray panels: Stainless “S” Hooks & polymer mounting clips (part no. 9970EPK4)
- Stainless panels: stainless “S” Hooks & clamp assemblies (part no. 9970EPS)

Enclosure Panels for Super Erecta Wire and Solid, Super Adjustable and MetroMax Q Shelving Units

Enclosure Panel

Cat. No. Chrome	Cat. No. Stainless	Cat. No. Metroseal Gray	Width/Height (in.) (mm)		For Nominal Post Height (in.) (mm)		Grid Opening (in.) (mm)		Weight (lbs.) (kg)	
EP35C	EP35S	EP35K4	12.375 x 50.75	313 x 1289	54	1370	2.875 x 3.625	73 x 92	3	1.4
EP36C	EP36S	EP36K4	12.375 x 59.75	313 x 1518	63	1600	2.875 x 3.625	73 x 92	4	1.8
EP37C	EP37S	EP37K4	12.375 x 70.5	313 x 1791	74	1880	2.875 x 3.625	73 x 92	6	2.7
EP55C	EP55S	EP55K4	18.375 x 50.75	464 x 1289	54	1370	3.375 x 3.625	86 x 92	5	2.3
EP56C	EP56S	EP56K4	18.375 x 59.75	464 x 1518	63	1600	3.375 x 3.625	86 x 92	6	2.7
EP57C	EP57S	EP57K4	18.375 x 70.5	464 x 1791	74	1880	3.375 x 3.625	86 x 92	7	3.2

All panels are 7/8" (22mm) thick.

Panels Required for Super Erecta Wire and Solid and Super Adjustable Shelving Units

Ends — Panels required for each end, as follows:

		WIRE SHELF ONLY			WIRE & SOLID SHELVES			
Nominal Post Height (in.) (mm)		14" (457mm) Nominal Shelf Width	18" (457mm) Nominal Shelf Width	21" (530mm) Nominal Shelf Width	24" (610mm) Nominal Shelf Width	30" (760mm) Nominal Shelf Width	36" (914mm) Nominal Shelf Width	
54	1370	EP35	EP35	EP35	EP55	(2) EP35	(1) EP35, (1) EP55	
63	1600	EP36	EP36	EP36	EP56	(2) EP36	(1) EP36, (1) EP56	
74	1880	EP37	EP37	EP37	EP57	(2) EP37	(1) EP37, (1) EP57	

Backs — Require multiple panels as follows:

WIRE SHELVES

Nominal Post Height (in.) (mm)		30" (760mm) Nominal Shelf Length	36" (914mm) Nominal Shelf Length	42" (1060mm) Nominal Shelf Length	48" (1219mm) Nominal Shelf Length	54" (1370mm) Nominal Shelf Length	60" (1524mm) Nominal Shelf Length	72" (1825mm) Nominal Shelf Length
54	1370	(2) EP35	(1) EP35, (1) EP55	(2) EP55	(2) EP35, (1) EP55	(1) EP35, (2) EP55	(3) EP55	(1) EP35, (3) EP55
63	1600	(2) EP36	(1) EP36, (1) EP56	(2) EP56	(2) EP36, (1) EP56	(1) EP36, (2) EP56	(3) EP56	(1) EP36, (3) EP56
74	1880	(2) EP37	(1) EP37, (1) EP57	(2) EP57	(2) EP37, (1) EP57	(1) EP37, (2) EP57	(3) EP57	(1) EP37, (3) EP57


SOLID SHELVES

Nominal Post Height (in.) (mm)		30" (760mm) Nominal Shelf Length	36" (914mm) Nominal Shelf Length	42" (1060mm) Nominal Shelf Length	48" (1219mm) Nominal Shelf Length	54" (1370mm) Nominal Shelf Length	60" (1524mm) Nominal Shelf Length	72" (1825mm) Nominal Shelf Length
54	1370	(1) EP55	(2) EP35	(1) EP35, (1) EP55	(2) EP55	—	(1) EP35, (2) EP55	(2) EP35, (2) EP55
63	1600	(1) EP56	(2) EP36	(1) EP36, (1) EP56	(2) EP56	—	(1) EP36, (2) EP56	(2) EP36, (2) EP56
74	1880	(1) EP57	(2) EP37	(2) EP37, (1) EP57	(2) EP57	—	(1) EP37, (2) EP57	(2) EP37, (2) EP57

Note: Units with a solid shelf in the top position require the use of a three-sided snake frame directly below it.

Replacement Mounting Kit for Enclosure Panel (Chrome/Stainless)

Plated Cat. No. **9970EPZ**
Stainless Cat. No. **9970EPS**



Mounting Kit for Enclosure Panel

Replacement Clamps

Chrome Cat. No. **9970Z**
Stainless Cat. No. **9970S**
Bag of 8 clamp assemblies.
(Available by the bag only)



NOTE: Recommended for heavy duty mobile applications to reinforce the panels.

Replacement Mounting Kit for Metroseal Gray Enclosure Panel

Cat. No. **9970EPK4**



Wire Shelving Accessories

Rods and Tabs


Form side and back enclosures for a shelving unit. Can also serve as uniform dividers within unit by passing through shelves from top to bottom. Recommended spacing: every 6" (150mm) to 12" (305mm), depending upon shelf contents. Plated rods are shipped with 4 plated tabs per rod. Stainless steel rods come with 4 rust-proof tabs.

Model No. Chrome	Model No. Stainless	Min. Post Height (in.)	Rod Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.) (kg)	
R52C	R52S	54	52	1320	1	0.5
R61C	R61S	63	61	1549	1	0.5
R72C	R72S	74	72	1830	1.25	0.6
R84C	R84S	86	84	2135	1.5	0.7



Tabs

Rods are shipped with 4 tabs per rod.



Additional Plated Tabs —
Bag of 12
Cat. No. **9084Z**

Plated rod with zinc plated tab.



Additional Rust-Proof Tabs —
Bag of 4
Cat. No. **9084P**


Stainless Steel rod with rust-proof tab.

Three-Sided Double Snake Frames

Provide additional support or access to floor with these sturdy square snake frames. Chrome plated, Metroseal Green and Type 304 Stainless steel options.

Cat. No. Chrome	Cat. No. Metroseal Green (K3) with Microban*	Cat. No. Stainless	Nominal Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)	
SF31N3C	SF31N3K3	-	18x24	457x610	5	2.3
SF32N3C	SF32N3K3	-	18x30	457x760	6	2.7
SF33N3C	SF33N3K3	SF33N3S	18x36	457x914	6.5	2.7
SF34N3C	SF34N3K3	-	18x42	457x1066	7	3.2
SF35N3C	SF35N3K3	SF35N3S	18x48	457x1219	7.75	3.5
SF1854N3C	SF1854N3K3	-	18x54	457x1372	7.9	3.5
SF36N3C	SF36N3K3	-	18x60	457x1524	8	3.6
SF37N3C	SF37N3K3	-	18x72	457x1829	9	4.1
SF51N3C	SF51N3K3	-	24x24	610x610	6	2.7
SF52N3C	SF52N3K3	-	24x30	610x760	7	3.2
SF53N3C	SF53N3K3	SF53N3S	24x36	610x914	7.5	3.4
SF54N3C	SF54N3K3	-	24x42	610x1066	8	3.6
SF55N3C	SF55N3K3	SF55N3S	24x48	610x1219	9	4.1
SF2454N3C	SF2454N3K3	-	24x54	610x1372	9.5	4.3
SF56N3C	SF56N3K3	SF56N3S	24x60	610x1524	10	4.5
SF57N3C	SF57N3K3	SF57N3S	24x72	610x1829	11	5

Note: Consult your Metro representative for other sizes.



Three-sided Double Snake Frame

an Ali Group Company



The Spirit of Excellence



Item # _____

We put space to work.

Job _____




WIRE SHELVING ACCESSORIES

Color Shelf Marker

Color code for effective organization. Snaps securely to the front edge of Super Erecta and Super Adjustable Super Erecta Wire Shelving.

Model No.	Shelf Marker Size		Color
	(in.)	(mm)	
CSM6-B	6x1 ¹ / ₄	152x32	Blue
CSM6-G	6x1 ¹ / ₄	152x32	Green
CSM6-R	6x1 ¹ / ₄	152x32	Red
CSM6-T	6x1 ¹ / ₄	152x32	Tan
CSM6-W	6x1 ¹ / ₄	152x32	White
CSM6-Y	6x1 ¹ / ₄	152x32	Yellow
CSM6-GR	6x1 ¹ / ₄	152x32	Gray

**Color Shelf Markers**

Label Holders

It's easy to identify shelf contents with these snap-on plastic holders, available in four styles and a variety of sizes. Labels not included.

1¹/₄" (32mm) Label Holders

Gray. Holds most commercial labels. Available in a variety of lengths.

Model No.	Label Size		Fits Shelf Length	
	(in.)	(mm)	(in.)	(mm)
9990P	3x1 ¹ / ₄	75x32	All	
9990P1	13x1 ¹ / ₄	330x32	18	457
9990P2	19x1 ¹ / ₄	480x32	24	610
9990P30	25x1 ¹ / ₄	635x32	30	760
9990P3	31x1 ¹ / ₄	725x32	36	914
9990P4	43x1 ¹ / ₄	1090x32	48	1219
9990P5	55x1 ¹ / ₄	1395x32	60	1520

**1¹/₄" (32mm) Label Holder**

Clear Label Holders

Clear plastic allows decorator colors to show through. Holds most commercial 1¹/₄" (32mm) labels.

Model No.	Label Size		Fits Shelf Length	
	(in.)	(mm)	(in.)	(mm)
9990CL	3x1 ¹ / ₄	75x32	All	
9990CL1	13x1 ¹ / ₄	330x32	18	457
9990CL2	19x1 ¹ / ₄	480x32	24	610
9990CL30	25x1 ¹ / ₄	635x32	30	760
9990CL3	31x1 ¹ / ₄	725x32	36	914
9990CL4	43x1 ¹ / ₄	1090x32	48	1219
9990CL5	55x1 ¹ / ₄	1395x32	60	1520

**Clear Label Holder**

Slanted Label Holders

Gray solid plastic holder puts 1¹/₄" (32mm) labels on slant for easier viewing.

Model No.	Label Size		Fits Shelf Length	
	(in.)	(mm)	(in.)	(mm)
9990SL	3x1 ¹ / ₄	75x32	All	
9990SL1	13x1 ¹ / ₄	330x32	18	457
9990SL2	19x1 ¹ / ₄	480x32	24	610
9990SL30	25x1 ¹ / ₄	635x32	30	760
9990SL3	31x1 ¹ / ₄	725x32	36	914
9990SL4	43x1 ¹ / ₄	1090x32	48	1219
9990SL5	55x1 ¹ / ₄	1395x32	60	1520

**Slanted Label Holder**

Material specifications

- Color Shelf Markers, 1¹/₄" High Gray Label Holders, Slanted Label Holders — Rigid PVC; suitable for continuous use in a temperature range of -20° to 165°F (-28° to 73°C)
- Clear Label Holders — CAB plastic; suitable for continuous use in a temperature range of -20° to 120°F (-28° to 49°C)
- Label holders are not cart washable or autoclavable.

Notes for Shelf Markers and Label Holders:

- If ledges are desired on the front of the shelf where the label holder is most often attached, the label holder or color shelf marker must be mounted between the vertical support wires of the ledge.
- Label holders work with standard wire shelving styles — Super Erecta, Super Adjustable, qwikSLOT, Drop Mat wire shelving, cantilever shelves.
- Designed for use with 1" (25mm) high labels.



InterMetro Industries Corporation

North Washington Street, Wilkes-Barre, PA 18705

Product Information. U.S. and Canada: 1.800.992.1776
Outside U.S. and Canada: www.metro.com/contactus

L02-008
Printed in U.S.A. Rev. 12/19

Information and specifications are subject to change without notice. Please confirm at time of order

Copyright © 2019 InterMetro Industries Corp.



Grids and Brackets

Grids

Attach easily to shelf frames or to the wall to provide a structure for mounting baskets, hooks, hangers, and other storage, workspace management, or display accessories. Accessories can be found in this spec sheet (10.05) and in spec sheet 10.41.

- Grid openings: 2³/₄"x2³/₄" (70x70mm)
- Weight capacity: 250 lb. (112.5kg)

Model No. Plated	Model No. Metroseal 3 with Microban®	Size		Approx. Pkd. Wt.	
		(in.)	(mm)	(lbs.)	(kg)
WG1836BR	WG1836K3	18x36	457x914	9	4.1
WG1848BR	WG1848K3	18x48	457x1219	12	5.4
WG1860BR	WG1860K3	18x60	457x1524	14	6.4
*	WG2436K3	24x36	610x914	12	5.4
*	WG2448K3	24x48	610x1219	15.5	7
*	WG3036K3	30x36	762x914	12.8	5.8
*	WG3048K3	30x48	762x1219	16.5	7.5
PBA-GPC	—	33x54	840x1370	21	9.5

Note: Consult your Metro representative for availability of stainless steel or decorative epoxy grids.




Accessories are ordered separately. See spec sheet 10.43

Grid Clamp (for Shelf)


Allows the grid to attach to a wire or solid shelf frame. Minimum of four are needed to secure a grid to a shelf. Bag of 8 clamp assemblies. (Available by the bag only).

Brite Zinc Finish Model No. **9970Z**


Stainless Steel Finish Model No. **9970S**



Grid Clamp



SWGB2



WGBRKT

Stainless Steel Direct Wall Mount Brackets

Stainless grid brackets allow the grid to attach to the wall and be removed for easy cleaning. Kit includes 6 brackets. Approximate packaged weight is 2 lb. (0.9kg). Model No. **SWGB2**

Plastic Direct Wall Mount Bracket

Black plastic clamps attach grid to the wall. Kit includes 6 brackets. Approximate packaged weight is 2 lb. (0.9kg). Model No. **WGBRKT**

Hanger Rails

Convenient rail fits on posts along the width or length of the unit. Suitable for use with hanging storage baskets, hooks, and extension display hangers.

Model No. Chrome	Length†		Approx. Pkd. Wt.	
	(in.)	(mm)	(lbs.)	(kg)
H114C	14	355	1	.45
H118C	18	457	1 ¹ / ₄	.57
H124C	24	610	1 ¹ / ₂	.68
H130C	30	760	1 ¹ / ₂	.68
H136C	36	914	2	.90
H148C	48	1219	2 ¹ / ₂	1.13

†14", 18" and 24" (355, 457 and 610mm) sizes fit shelf width (depth).
30", 36" and 48" (760, 914 and 1219mm) sizes fit shelf length.
Weight capacity — 25 lb. (11.3kg) evenly distributed.



Hanger Rail

WIRE SHELVING ACCESSORIES




Cantilever Shelves

Adds convenient space above a storage unit. Drop mat design creates a retaining ledge around the entire 12" (305mm) deep shelf. Remember to order rear posts taller than front posts to accommodate these shelves.

Model No. Chrome	Length		Approx. Pkd. Wt. Each	
	(in.)	(mm)	(lbs.)	(kg)
1224CSNC	24	610	4 ¹ / ₂	2.0
1230CSNC	30	750	5	2.3
1236CSNC	36	914	5 ³ / ₄	2.6
1242CSNC	42	1066	6 ³ / ₄	3.1
1248CSNC	48	1219	7 ³ / ₄	3.5
1260CSNC	60	1524	9 ¹ / ₂	4.3

Weight capacity — 150 lb. (67.5kg) evenly distributed.



Cantilever Shelves

Storage Baskets

Generous-sized baskets attach in seconds to a hanger rail, wire shelf, enclosure panel, or grid. Weight capacity — 20 lb. (9kg).

Model No. Chrome	Model No. Metroseal 3 with Microban®	Width/Length/Depth		Approx. Pkd. Wt.	
		(in.)	(mm)	(lbs.)	(kg)
H209C	H209K3	13 ³ / ₈ x 5x7	345x127x180	8 ¹ / ₂	4
H210C	H210K3	17 ³ / ₈ x 7 ¹ / ₂ x 5	440x190x127	7	3
H212C	H212K3	17 ³ / ₈ x 7 ¹ / ₂ x 10	440x190x255	11	5



Large Display/Storage Basket

File Basket

The convenient place to keep files and papers.

- Measures 2⁵/₈" W. x 12³/₄" L. x 8³/₄" H. (67mm W. x 324mm L. x 222mm H.).
- Large enough to hold standard-size file folders.
- Chrome plated.
- Weight capacity — 20 lb. (9kg).

Model No.	Width/Length		Height		Approx. Pkd. Wt.	
	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
PH1239C	2 ⁵ / ₈ x 12 ³ / ₄	63x330	8 ³ / ₄	228	2.1	1.0



File Basket

Extension Display Hanger

Snaps on Super Erecta Shelf hanger rails, shelves, enclosure panels, and grids. Accepts standard carded merchandise.

Model No.	Length		Approx. Pkd. Wt.		Finish/Color
	(in.)	(mm)	(lbs.)	(kg)	
HHK6C	6	152	.25	.1	Chrome
HHK6B	6	152	.25	.1	Black
HHK8C	8	203	.25	.1	Chrome
HHK8B	8	203	.25	.1	Black

*White, smoked glass and designer colors also available. Allow 4-6 week lead time.



Extension Display Hanger


WIRE SHELVING ACCESSORIES

We put space to work.®

Swing Hanger

Attaches to post to provide convenient storage for hanging items. Black epoxy finish.

Model No.	Arm Length		Weight Capacity	
	(in.)	(mm)	(lbs.)	(kg)
H110BL	6 ¹ / ₄	160	20	9




Swing Hanger

Snap-On Hooks

Multi-purpose hooks in three styles attach to hanger rails, mounting rails, shelves, enclosure panels, or grids for instant access.

Model No.	Description	Height	
		(in.)	(mm)
HK23C	Style A — Small	3 ⁷ / ₁₆	90
HK25C	Style B — Large	3 ⁷ / ₁₆	90
HK26C	Style C — Double	3 ⁷ / ₁₆	90

Weight capacities: Single Hook — 5 lb. (2.3kg)
Double Hook — 10 lb. (4.6kg)




Snap-On Hooks

Garment Hanger Tube with Brackets

Hanger tubes attach easily under Super Erecta shelves for hanging garments. Available in 18", 21" and 24" (457, 530 and 610mm) widths and in same length as shelves.

Shelf Width 18" (457mm)	Shelf Width 21" (530mm)	Shelf Width* 24" (610mm)	Tube Length		Approx. Pkd. Wt.	
			(in.)	(mm)	(lbs.)	(kg)
AT2418NC	AT2421NC	AT2424NC	24	610	2 ¹ / ₂	1.1
AT3018NC	AT3021NC	AT3024NC	30	760	2 ¹ / ₂	1.1
AT3618NC	AT3621NC	AT3624NC	36	914	3	1.4
AT4218NC	AT4221NC	AT4224NC	42	1066	3 ¹ / ₂	1.6
AT4818NC	AT4821NC	AT4824NC	48	1219	3 ¹ / ₂	1.6
AT6018NC	AT6021NC	AT6024NC	60	1524	4	1.8
AT7218NC	AT7221NC	AT7224NC	72	1828	4 ¹ / ₂	2.0

Weight capacity — 75 lb. (34kg) evenly distributed.
*Also works with 30" (760mm) and 36" (914) width shelves.



Garment Hanger Tube with Brackets